
## Hot Temperatures this Weekend...



New York, NY
WEATHER FORECAST OFFICE

#### **OVERVIEW**

 The first widespread 90 degree temperatures and heat indices of the season are expected this weekend



HAZARDS & IMPACTS

**Heat** – Heat Indices of 90 to 95 F are **likely** Saturday and Sunday between 1 and 6 pm for northeastern NJ, much of the Lower Hudson Valley, and interior S CT, and **possible** for portions of the NYC metro, NW LI, coastal Westchester and SW coastal CT. Heat indices closer to the south coasts will be in the 70s and 80s.

 Impacts - After a cool Spring, there is an increased risk of heat-related illness for vulnerable populations this weekend with this first heat event of the season.

**Cold Water** – Ocean and nearshore water temperatures are still in the 50s to near 60 degrees.

• Impacts - Physical incapacitation and hypothermia are likely in as little as 10 minutes if you fall in the water, greatly increasing the risk of drowning.

**Rip Current Risk** – Moderate, to potentially high, rip current risk Saturday and Sunday.


**Scattered thunderstorms** – Sun Eve, particularly for NYC and points N &W. Any thunderstorms are expected to stay below severe limits at this time.


### NWS ALERTS

 Heat Advisories may be needed for interior portions of the local Tri-State Region this weekend.

### NEXT BRIEFING

■ By 5pm Friday






### NWS Heat Index and Effects...




New York, NY
WEATHER FORECAST OFFICE

The heat index is a measure of how hot it really feels when relative humidity is factored in with air temperature. You can use this chart to find the heat index yourself. For more information on Heat Safety, please go to:

https://www.weather.gov/safety/heat



Classification	<b>Heat Index</b>	Effect on the body
Caution	80°F - 90°F	Fatigue possible with prolonged exposure and/or physical activity
Extreme Caution	90°F - 103°F	Heat stroke, heat cramps, or heat exhaustion possible with prolonged exposure and/or physical activity
Danger	103°F - 124°F	Heat cramps or heat exhaustion likely, and heat stroke possible with prolonged exposure and/or physical activity
Extreme Danger	125°F or higher	Heat stroke highly likely



https://www.weather.gov/wrn/heat infographics



https://www.weather.gov/wrn/heat\_infographics

# **Cold Water Safety Physical Incapacitation in water below 60F**





<u>Physical incapacitation</u> happens in 10 minutes in waters of 50 to 60 degrees. You become physically helpless in the water because you can no longer control your arms, legs, hands and feet



# When cold water cools your muscles and nerves:

- You become progressively weaker.
- You become exhausted more rapidly.
- Your hands become numb and useless.
- Your arms and legs stop working.







#### What this means:

- Unable to self-rescue.
- Unable to assist other people who try to help you.
- Swimming failure.
- Unable to position your back to the waves.
- Greatly increased risk of drowning.



# **Cold Water Safety**

# Preparedness / Action



### COLD WATER SAFETY

- · Wear a life vest during water activities
- Keep a close eye on children
- · Alcohol enhances hypothermia
- Even experienced swimmers can lose muscle control very quickly
- Fast-flowing water will make rescue difficult



#### BE AWARE!

Even though temperatures are warming, rivers, lakes, and streams are still cold and running fast, especially with mountain snow runoff

Visit our website for the latest forecast www.weather.gov



- Be sure to check the weather and water temperature before you go out.
  - If water is too cold, consider changing plans
  - Dress for the water temperature, NOT the air temperature, this includes a wetsuit or dry suit.
  - Always wear a life jacket
- NWS New York issues Marine Weather Statements and social media posts in the Spring to alert of the dangers of Cold Water Shock and Incapacitation ahead of busy boating weekends and holidays!
- For more information visit: www.weather.gov/safety/coldwater



